



US00D464521S

(12) **United States Design Patent**
Graves

(10) **Patent No.:** **US D464,521 S**

(45) **Date of Patent:** **** Oct. 22, 2002**

(54) **TAILBONE CUSHION PAD**

(76) **Inventor:** **Noble L. Graves**, 5401 Chimney Rock,
Apt 1019, Houston, TX (US) 77081

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/142,494**

(22) **Filed:** **May 25, 2001**

(51) **LOC (7) Cl.** **06-09**

(52) **U.S. Cl.** **D6/601**

(58) **Field of Search** D6/595, 596, 597,
D6/599, 601, 602, 603, 604, 605, 606,
608; D2/720, 728, 823, 860, 861; D8/403;
D24/184, 189, 192; 2/114, 914, 915, 466,
467, 267; 5/417, 418, 419, 420, 485, 486,
495, 499, 630, 631, 632, 633, 636, 637,
638, 639, 640, 641, 644, 645, 646, 648,
650, 651, 652, 652.1, 653, 654, 655, 655.3,
655.4, 655.9, 656, 657, 657.5, 663, 688,
690, 706, 710, 717, 718, 727, 731, 733,
736, 737, 739; 15/208, 209.1, 210.1; 128/849,
853, 854; D29/101.5

(56) **References Cited**

U.S. PATENT DOCUMENTS

D166,664 S	*	5/1952	Godfrey	D6/601
3,909,847 A	*	10/1975	Holt et al.	2/466
4,014,044 A	*	3/1977	Figueroa et al.	2/466
D277,316 S	*	1/1985	Meares	D24/190
D294,900 S	*	3/1988	Willingham	D6/601
4,807,301 A		2/1989	Ferber	
4,811,427 A	*	3/1989	Regan	2/466
4,914,762 A	*	4/1990	Perali et al.	5/655.3
D348,544 S	*	7/1994	Wharton	D29/101.5
D356,705 S	*	3/1995	Aston	5/653

D357,040 S		4/1995	Madrid	
5,483,705 A	*	1/1996	DiMatteo	2/466
5,551,082 A	*	9/1996	Stewart et al.	
D377,575 S	*	1/1997	Lowrey, Jr. et al.	D6/596
5,625,895 A		5/1997	Sovereign	
5,649,328 A		7/1997	Martin	
D388,999 S	*	1/1998	Murphy	D6/613
D396,373 S	*	7/1998	Reale	D6/601
5,819,323 A	*	10/1998	Edenfield	2/466
D413,476 S	*	9/1999	Crawford	D6/601
6,041,441 A		3/2000	Counts et al.	

* cited by examiner

Primary Examiner—Doris V. Coles
Assistant Examiner—T. Chase Nelson

(57) **CLAIM**

The ornamental design for a tailbone cushion pad, as shown and described.

DESCRIPTION

FIG. 1 is a rear elevational view of the tailbone cushion pad of the present invention;

FIG. 2 is a front elevational view of the tailbone cushion pad of FIG. 1;


FIG. 3 is a right side elevational view of the tailbone cushion pad of FIG. 1, the left view being a mirror image thereof; FIG. 4 is a top plan view of the tailbone cushion pad of FIG. 1;

FIG. 5 is a bottom plan view of the tailbone cushion pad of FIG. 1; and,

FIG. 6 is a front elevational view of the tailbone cushion pad of FIG. 1.

The broken line showing of a pair of shorts in FIG. 6 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4



FIG. 5




FIG. 6